C

Sectt. II-48—1,002—18-11-22.

PW (1923) Department.

Mes SERIES.

(1) Record
(2) D 4/10/4
D
10/4/23

G.O. No. 384 W

DATED 7-4-23

[Despatch Abstract.]

G.F. 21.

Public Works **DEPARTMENT.**

In future letters, please quote No. 2054 dated 15/3 and short title *	Rec'd.....Enclosure..... Reg'd.....Spare copies....	Telephone No. Post Box No. Telegraphic Address:

Dated 13th March 1923.

From (Name) M.R.Kharegat Esq., A.M.I.C.E.
(Designation) Superintending Engineer,
(Address) Third Circle, Bellary.

To The Chief Engineer, P.W.D.
Madras

WORKS SECTION
16 MAR 23
CURRENT NUMBER
529

Sir.

× flyB

Reference:--G.O.No.249-W., dated 23rd February 1923.

Read the following:--Letter No.1840 dated 12th March 19 from F.C.L.Clift Esq., Executive Engineer, Bellary to the Superintending Engineer, Third Circle, Bellary:--

As directed in person this morning, I have ordered the pumping set as detailed in Messrs.Turnder Hoare & Co's., -- DAL/SNN 170 dated 5-3-23 (copy enclosed) by wire and have also sent the firm a large scaled plan for their guidance.

* p.3 infra

I enclose a revised estimate for the plant including conveyance and fitting up charges and request early sanction to the same. The complete set works out to Rs.2,800, and this is cheaper than any other tender I received, the next higher in price being Rs.2,970, of Messrs Jessop & Co., Calcutt

⊙ p.4 infra

As soon as the plant is received the firm will be wired to send their fitter for erecting the plant. An estimate for Rs.2,450, was sanctioned by you as per your No.929 dated 5-2-2 but the firm wrote to say that the pump as offered by them and included in the estimate had in the meantime been purchased by a customer and they were not sure when they would get anoth and they also stated

E n c l o s u r e 6.

Copy of letter DAL/SNN 170 dated 5-3-23, from Turner Hoare & Co. Bombay to the Executive Engineer, Bellary:--

Pumping Plant.

We begto acknowledge receipt of your telegram of the 3rd instant reading as follows:--

"Your letter twentyeight cannot xxxx you arrange for pump -- locally as cannot wait indefinitely". and confirm having telegraphed you to-day as under:--

"Your telegram third can offer stock pumping set three inch delivery eight horse power crude oil engine piping as previously offered but three inch rupees two thusand eighthundred rails Bombay". from which you will understand that we are able to offer you from stock subject to prior sale:--

One -3" Suction x 3" Delivery Centrifugal Pump manufactured by Messrs F.A.Pullon & Co., London (England) belt driven by 8 B.H.P. Petter Semi Diesel Crude Oil Engine, as offered in our letter No. 1111 dated 23rd February 1923 together with necessary piping and fittings as quoted for in our letter No.4 dated 2nd January 23 but to be 3" instead of $2\frac{1}{2}$.

We are putting forward this pump in view of the fact that we have no $2\frac{1}{2}$" pump in stock nor we are able to obtain one locally capable of giving the required out-put for the necessary head.

The price of the complete set, works out at Rs.2,800, F.O.R., Bombay as indicated in our telegram.

If you are unable to wait for the pump originally offered from Home we think you will be well advised to accept the 3" Pumping Set with 8 B.H.P. Crude Oil Engine now offered, in which case, we shall be glad if you will telegraph us to reserve same. We are anxiously awaiting your confirmatory letter and also the sketch plan asked for in our letter No.1369 dated 28-2-23.

Thanxx Thanking you in anticipation of an early reply.

V.S.14.3.

Duplicating pumping plant.
Alipuram jail, Bellary.

P.W.D

Ref: CR. 529 WKS/A. From the S.E. III Circle
No. 2054 dt 15/3/23

+ DS
11/3/23

In the circumstances reported by the Ex. Engineer, Bellary Division, the revised estimate amounting to Rs 3650 may be approved. A draft order is submitted. It may be forwarded to Law (Genl) dept for acceptance prior to promulgation

G.V.A
B. 21/3
funds

19.3.23

2: Funds. A grant of Rs 2,450 representing the cost of the original sanctioned estimate for the work was allotted in G.O R119 W dt 17-2-23. The sum of Rs 2,0 to cover the difference between the original and the present revised estimate will be required only next year - vide para 4 of the S.E's endt on p 2 C.F. This amount will have to be found by the S.E from the grants for Jail Minor works for next year at his disposal. No action regarding funds seems thus called for: The file may now be sent to Law (Genl) dept as proposed in para 1 above



P.W.D 529 WKA/23-1
23-3-23

G.V.A
21-3-23.

C.I.I
21/3

21.3.23.

Law Gal



9.P.

Law (General) dept

A.S.

The draft may be

2

approved in this department and the file returned to P.W.D.

RJK
24/3/23.

24.3.23.

2739

P.W.D.

Law (General) no 1779C-1
28-3-23.

P.W.D

DS

The draft order may now be circulated to M3

C.T.A
4/4

4/4/23

M3

8/6/23

P. wd Loan no 40
5.4.23

Recd. 6.4.23.

Issue.

6.4.23







P.W DEPARTMENT

B

READ AGAIN G.O. No. 24 G W, dated 23. 2 - 1923.

" " " " , " 191 .

READ ALSO:—

C. No. 52 W/23 From the S. E. III Circle, No. 2054, dated 15/3/ 1923.

Q A

" " , " " , " , " 191

" " , " " , " , " 191

ORDER. No. 3844 W dated 7 - 4 - 1923.

Mr

B

The revised estimate amounting to Rs. 3650 for duplicating the pumping plant at the Alipuram jail, Bellary, is accordingly approved in supersession of the approved in G.O. No. 2494 dated 23.2.23 and forwarded to the S.E. Madras Third Circle for technical sanction and execution.

B to issue

No sanction

PK 19.3.23

29/3/23

To the S.E. Madras Third Circle with an estimate and plan B.No. 68/1923.

" A.G. Madras.

" Accountant General's Dept.

DESPATCHED 9- APR 1923

B.G.M

D.I.D. 22/3

Sectt. II-47--697 Bks.—21-1-18

~~A.~~
~~B.~~ } (a)
N.P.

DEPARTMENT.

ORDINARY / ~~ROUTINE~~ SERIES.

† G.O. No. dated 191

CIRCULATED.
~~NOT CIRCULATED.~~
NOT SEEN BY C.S.

Receipt numbers	5281 N 6, 44 mk 71
Number and date of previous proceedings	249 W 1-2 2:23

Tabling Abstract.

Jals - Pelhang 2" Lmm -
duplicating pumping Plant
Tirunelveli Municipality

(b) **Index Headings.**

MAIN HEADING Jails

CROSS REFERENCES.

SPECIAL INDEX.

DO NOT SPECIAL INDEX.

(a) and (b) not to be filled in for 'Routine' Series.